

Operational Inspections



Putting the Play into Playgrounds



LPC2 Annscroft Play Area

17 Meadowbrook Cottages, Shrewsbury, SY5 8AW
Tuesday 25th August, 2026 Inspected by: Toby Knight

An independent safety check performed by Ray Parry Playground Services.
This inspection was approved by: RP

Overall risk factor: Low



Approved contractors to County & Education Authorities

Ray Parry Playground Services Limited · The Follies · Eastwood Road · Shrewsbury

01743 243267 · www.rayparry.co.uk

This report was prepared using RPPS-Inspect Software.

Inventory of equipment:



HIP TWIST/STEPPER

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



PLAY PANEL SHOP

Surface:
Grassmats

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



SIGN

Surface:
N/A

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



MUGS

Surface:
N/A

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



CROSS TRAINER

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



BENCHES

Surface:
N/A

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



LITTER BIN

Surface:
N/A

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



GOAL POSTS

Surface:
Grass

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
Yes, 1 item



ROWER

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



PICNIC TABLES

Surface:
N/A

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



SPRING HORSE

Surface:
Grassmats

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



MULTIPLAY

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



SPRING SEESAW

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



SWING MIXED

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



CAROUSEL DISH

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



POLESPIN

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



HIGH BARS 3 TIER

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



GENERAL SURFACE

Surface:
N/A

Risk:
Very Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No



AIR WALK

Surface:
Grassmats

Risk:
Low

**Equipment
compliance:**
--

**Surface
compliance:**
--

**Extended
report?**
No

Extra report item:



GOAL POSTS

Surface:	Risk:	Equipment compliance:	Surface compliance:	Extended report?
Grass	Low	--	--	Yes, 1 item



Low

Item name/report item:
GOAL POSTS [GOAL POSTS](#)

Findings:
POSTS LEANING

Actions:
RESET

Method of assessment:

Assessment of risk is calculated using two main criteria:

1. Severity of injury

This comprises a severity rating based on knowledge of playground injuries:

Little or no injury	0-1
Minor injury (requiring medical attention)	1-2
Major injury (absence from work or school)	2-3
Serious injury or long term sickness	3-4
Death or major disability	4-5

2. Likelihood of injury

Low risk	1
Low-medium risk	2
Medium risk	3
Medium-high risk	4
High risk	5

3. Assessment of risk

Multiply the severity of injury by the likelihood injury to obtain the risk:

Injury severity rating x probability of injury = risk

Scoring Risk

Risk score	Risk category	Action
1 - 3	Very Low Risk	Monitor
4 - 7	Low Risk	Monitor and take reasonable practical action if required
8 - 12	Medium Risk	Take action to reduce is possible, or available
13 - 20	High Risk	Take action as soon as possible to implement control measures or modifications Recommend immobilise
21 +	Unacceptable risk	Remove or immobilise immediately before taking immediate action, control measures or modifications and re-assessment the measures on completion